



UNIT LOAD DOWNSTACKER

Systec's Unit Load Downstacker (ULD) is an ergonomic solution for manual load forming stations. The features of Systec's ULD are the conveyor lift table and adjustable backstop system. The conveyor table can be elevated to a comfortable work height allowing the operator to transfer bundles of boxes from the bundle conveyor to the ULD station without bending. As each tier is completed, the operator can activate the lift, lowering it to a comfortable work height, to add the next tier of bundles to the unit load.

The ULD adjustable backstop can be adjusted to position the unit load as required and minimize the effort. As with all Systec conveyor and devices, the ULD is all welded steel construction, using precision laser cut parts for exact fit and function. This is a very low maintenance device applying the most advanced safety designs and features.



OVERALL CONSTRUCTION

Systec's ULD features all-welded steel frame construction. The ULD is a self-contained lift table with an on-board hydraulic pump package. Safety accordion skirting provided as shown.



ADJUSTABILITY

Systec's ULD has a stationary and an adjustable backstop to minimize operator efforts in load building.



DRIVE ASSEMBLY

Systec's ULD lift conveyor is a self-contained drive assembly. The ULD matches well with the discharge. Most components of the powered conveyor are the same as our floor conveyors.

UNIT LOAD DOWNSTACKER

SPECIFICATIONS

Between Frame Dimensions	60", 72", 84"
Device Lengths	5'-0", 6'-0", 7'-0"
Top-of-Roller Height	12" T.O.R. to 36" T.O.R.
Drive Capacity	3,500lb/unit
Conveyor Speeds	30, 40, and 60 FPM
Motor/Drive Package	Flange Mounted Gearbox, 1 3/8" Through Shaft, 1HP, 230/460 Volt, 3 Phase, 60 Hertz

CONSTRUCTION

Frame	All-Welded Steel Construction
Lift Assembly	All-Welded Steel Construction, Laser Cut and Precision Machined Components
Backstop Assemblies	Steel Frame Construction With 3/4" Plywood Backing Scissor Action

CONTROLS

Automatic	Positioning Controls with Electro-mechanical Sensor Actuation
Manual	Pushbutton Operation

